



SUSTAINABLE  
**ELECTROPLATE  
FINISHES**

环保电镀色卡

**SAB®**



**SAB<sup>®</sup>**

**Specialty Advanced Beyond**







**SAB-H405**  
H-NICKEL  
Transparent coating  
挂镀色本色漆




**SAB-H401**  
H-Nickel  
挂镀色




**SAB-H601**  
NEW H-Nickel  
挂镀色-2




**SAB-H403**  
H-Bottom Brushed Nickel  
挂拉丝镍色




**SAB-H402**  
H-Top Brushed Nickel  
挂镀色拉丝




**SAB-H312**  
H-Lt. GOLD  
Transparent coating  
挂浅金本色漆




**SAB-H307**  
H-Bottom Brushed Lt. Gold  
挂拉丝浅金




**SAB-H310**  
H-24K GOLD  
Transparent coating  
挂24K真金本色漆




**SAB-H306**  
H-Lt. Gold  
挂浅金




**SAB-H603**  
NEW H-Brass Gold  
挂黄铜金-2




**SAB-H604**  
New H-Lt. Brass Gold  
挂黄铜浅金-2




**SAB-H304**  
H-Top Brushed Gold  
挂真金拉丝




**SAB-H303**  
H-Bottom Brushed Gold  
挂拉丝真金




**SAB-H311**  
H-Gold  
Transparent coating  
挂真金本色漆




**SAB-H302**  
H-24k Gold  
挂24K真金




**SAB-H208**  
H-Bronze  
挂青铜




**SAB-H209**  
H-Bottom Brushed Bronze  
挂拉丝青铜




**SAB-H223**  
H-Bronze  
Transparent coating  
挂青铜本色漆




**SAB-H301**  
H-Gold  
挂真金




**SAB-H205**  
H-Star Gold  
挂星金




**SAB-H105**  
H-Star Gold  
Transparent coating  
挂星金本色漆




**SAB-H206**  
H-Brass Gold  
挂黄铜金




**SAB-H106**  
H-Brass Gold  
Transparent coating  
挂黄铜金本色漆




**SAB-H207**  
H-Rose Lt. Gold  
挂玫瑰浅金







**SAB-H204**  
H-Copper Gold  
挂红铜金




**SAB-H214**  
H-CHAMPANGNE GOLD  
挂香槟金




**SAB-H107**  
H-CHAMPANGNE  
GOLD Transparent coating  
挂香槟金本色漆




**SAB-H203**  
H-Rose Gold  
挂玫瑰金




**SAB-H102**  
H-Copper  
挂红铜




**SAB-H605**  
H-Star Yellow Antique Gold  
挂星空黄古金




**SAB-H606**  
H-Star Yellow  
Antique Gold (Natural)  
挂星空黄古金本色漆




**SAB-H505**  
H-Brushed Oxidized Alloy  
挂锌合金发黑拉丝




**SAB-H502**  
H-BLACK NICKEL  
TRANSPARENT COATING  
挂黑镍本色漆




**SAB-H506**  
H-Bottom Brushed  
Black Nickel  
挂拉丝黑镍




**SAB-H504**  
H-Top Brushed  
Black Nickel  
挂黑镍拉丝




**SAB-H602**  
New H-Black Nickel  
挂黑镍-2




**SAB-H501**  
H-Black Nickel  
挂黑镍




**SAB-H103**  
H-Dk.Ruby Gold  
挂深宝石金




**SAB-R401**  
R-Nickel  
滚镍色




**SAB-R402**  
R-Sandy Nickel  
滚沙镍




**SAB-R403**  
R-Top Brushed Nickel  
滚镍色拉丝




**SAB-R404**  
R-Matt Nickel  
滚哑镍




**SAB-R405**  
R-Alloy  
滚合金色




**SAB-R572**  
R-Bright Anti Silver  
滚光亮古银




**SAB-R571**  
R-Anti Silver  
滚古银




**SAB-R564**  
R-Top Brushed Bronze Tin  
滚青铜锡拉丝




**SAB-R306**  
R-Sandy LT.Gold  
滚沙浅金






**SAB-R305**  
R-Lt.Gold  
滚浅金





|                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>SAB-R562</b><br/>R-Bronze Nickel<br/>滚青铜镍</p>                        |  <p><b>SAB-R203</b><br/>R-Bronze<br/>滚青铜</p>                         |  <p><b>SAB-R304</b><br/>R-Matt Gold<br/>滚哑金</p>               |  <p><b>SAB-R301</b><br/>R-Gold<br/>滚真金</p>                            |
|  <p><b>SAB-R302</b><br/>R-Sandy Gold<br/>滚沙金</p>                           |  <p><b>SAB-R303</b><br/>R-Bottom Brushed Gold<br/>滚拉丝真金</p>         |  <p><b>SAB-R202</b><br/>R-Star Gold<br/>滚星金</p>              |  <p><b>SAB-R201</b><br/>R-Copper Gold<br/>滚红铜金</p>                   |
|  <p><b>SAB-R101</b><br/>R-Copper<br/>滚红铜</p>                            |  <p><b>SAB-R528</b><br/>R-Top Brushed Copper Tin<br/>滚红铜锡拉丝</p>  |  <p><b>SAB-R527</b><br/>R-Copper Tin<br/>滚红铜锡</p>         |  <p><b>SAB-R103</b><br/>R-Orange Anti Copper<br/>滚橙红古铜</p>        |
|  <p><b>SAB-R539</b><br/>R-Top Brushed Lt. Anti Copper<br/>滚浅红古铜拉丝</p>  |  <p><b>SAB-R541</b><br/>R-Black Oxidized Copper<br/>滚黑面红铜</p>   |  <p><b>SAB-R542</b><br/>R-Oxidized Copper<br/>滚氧化红铜</p>  |  <p><b>SAB-R538</b><br/>R-Pink Anti Copper<br/>滚粉红古铜</p>         |
|  <p><b>SAB-R536</b><br/>R-Anti Copper<br/>滚红古铜</p>                     |  <p><b>SAB-R537</b><br/>R-Lt. Anti Copper<br/>滚浅红古铜</p>         |  <p><b>SAB-R563</b><br/>R-Bronze Tin<br/>滚青铜锡</p>        |  <p><b>SAB-R554</b><br/>R-Top Brushed Anti Brass<br/>滚青铜拉丝</p>   |
|  <p><b>SAB-R558</b><br/>R-Lt. Anti Yellow<br/>滚浅黄古铜</p>                |  <p><b>SAB-R557</b><br/>R-Anti Yellow<br/>滚黄古铜</p>              |  <p><b>SAB-R556</b><br/>R-Dk. Anti Yellow<br/>滚深黄古铜</p>  |  <p><b>SAB-R550</b><br/>R-Coffee Lt. Anti Brass<br/>滚咖啡浅青古铜</p>  |



|                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>SAB-R555</b><br/>R-Lt. Anti Brass<br/>滚浅青铜</p>            |  <p><b>SAB-R559</b><br/>R-Anti Brass<br/>滚青铜</p>                                      |  <p><b>SAB-R561</b><br/>R-Black Oxidized Bronze<br/>滚黑面青铜</p>        |  <p><b>SAB-R513</b><br/>R-Lt. Black Nickel<br/>滚浅黑镍</p>                              |
|  <p><b>SAB-R526</b><br/>R-Dk. Copper Tin<br/>滚深红铜锡</p>          |  <p><b>SAB-R525</b><br/>R-Contrast Tin<br/>滚亮锡</p>                                   |  <p><b>SAB-R522</b><br/>R-Dk. Alloy<br/>滚深合金色</p>                   |  <p><b>SAB-R523</b><br/>R-Black Tin<br/>滚黑锡</p>                                     |
|  <p><b>SAB-R524</b><br/>R-Anti Tin<br/>滚古锡色</p>              |  <p><b>SAB-R521</b><br/>R-Mock Anti Silver<br/>滚仿古银</p>                           |  <p><b>SAB-R552</b><br/>R-Star Anti Brass<br/>滚星青铜</p>           |  <p><b>SAB-R551</b><br/>R-Dk. Anti Brass<br/>滚深青铜</p>                            |
|  <p><b>SAB-R553</b><br/>R-Coffee Anti Brass<br/>滚咖啡青铜</p>   |  <p><b>SAB-R534</b><br/>R-Dk. Anti Copper<br/>滚深红古铜</p>                          |  <p><b>SAB-R535</b><br/>R-Chocolate Anti Copper<br/>滚朱古力红古</p>  |  <p><b>SAB-R516</b><br/>R-Top Brushed Black Nickel<br/>滚黑镍拉丝</p>                |
|  <p><b>SAB-R512</b><br/>R-Matt Black Nickel<br/>滚哑黑镍</p>    |  <p><b>SAB-R515</b><br/>R-Sandy Black Nickel<br/>滚沙黑镍</p>                        |  <p><b>SAB-R511</b><br/>R-Black Nickel<br/>滚黑镍</p>              |  <p><b>SAB-R533</b><br/>R-Anti Black<br/>滚黑古铜</p>                               |
|  <p><b>SAB-R532</b><br/>R-Coffee Anti Black<br/>滚咖啡黑古铜</p>  |  <p><b>SAB-R582</b><br/>R-Pearl Black<br/>Transparent coating<br/>滚纳米珍珠黑本色漆</p>  |  <p><b>SAB-R531</b><br/>R-Dark Anti Black<br/>滚老黑古铜</p>         |  <p><b>SAB-R581</b><br/>R-Pearl Black<br/>semi-shiny coating<br/>滚纳米珍珠黑半亮漆</p>  |



一、环保电镀简介

环保电镀是指打造绿色电镀、提升环保理念，采用无氰、无铅、无镍等电镀技术在待镀产品表面形成具有特殊效果的镀层，镀层效果一般可以根据装饰的需要，选用不同的工艺：如滚镀、挂镀、喷漆等。采用先进的三废处理工艺和自动化处理设施实现清洁生产、绿色生产。

Environmental-protection Plating Instruction

Eco-friendly Plating is the process that creating green plating and improving environmental-protection concept. Cyanide-free, lead-free, nickel-free plating technology are used. The products are covered with special plating. According to the different needs of the decoration, there are different plating processes, like: roll plating, hang plating, paint- spraying and so on. Advanced waste treatment process and automatic treatment facilities are used to achieving clean production and green production.

二、注意事项

- 1.电镀产品一般可以经过常规的干洗、水洗及普通机洗。在成衣染色前应做好拉头产品包裹，避免产品与水磨石或尖、硬等物体直接摩擦。
- 2.不可在较强的酸性、碱性液体或有机溶剂中长时间浸泡。
- 3.蒸汽熨烫时应避免直接熨到拉链齿、拉头或钮扣等部件。熨烫后，产品应尽快晾干或低温干燥，避免直接堆放或包装，以免受潮后变色、腐蚀。

In order to better to use plating products, please note as follows:


- 1.Plating products can be normal laundering, dry - cleaning and machine - washing. The garment should be wrapped before dying to avoid direct friction with terrazzo or sharp objects.
- 2.Don't put it in the strong acidic, alkalinity, organic dissolvent for long time.
- 3.1.Direct ironing should be avoided to zipper teeth, puller or buttons . After ironing the products should be dried as soon as possible or dried at low temperature , please don't stacking or packing directly, to avoid discoloration or corrosion after dampness.

三、电镀产品理化性能表

Physicochemical properties of plating items

| 检测项目(TEST ITEMS)                       | 引用标准(STANDARD)                                                                                   | 测试结果(TEST RESULT)                                                                                                                          |
|----------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 耐酵素洗<br>(Resistant to Ezyme Washing)   | PH值4.0-4.5、温度45-60℃，<br>时间45-60分钟<br>(PH value 4-6, temperature 45-60℃,<br>Time: 45-60 minutes ) | 色牢度4级以上<br>(Color fastness > Class 4)                                                                                                      |
| 洗后外观<br>(Appearance after wash)        | GB/T8629-2017                                                                                    | 色牢度4级以上<br>Color fastness > Class 4                                                                                                        |
| 耐盐雾<br>(Resistant to salt & spray)     | QB/T 3826-99                                                                                     | 产品表面无腐蚀、氧化现象<br>(No corrosion and oxidation )                                                                                              |
| 色差<br>(color Shading)                  | GB250评定变用灰色样卡<br>(gray scale for GB250 evaluation)                                               | 同批电镀产品应不低于GB250 4级标准，<br>与来样相比应不低于GB250 3.5级标准。<br>GB250- level  4 in the same batch,<br>> GB250-level 3.5 comparing with original samples |
| 绿色环保<br>(Green environment protection) | OEKO-TEX 100I<br>EN71-PART 3                                                                     | 重金属及其它环保指标达标，能过检针<br>(Heavy metal and items meeting other<br>environmental standard, can pass needle detector)                             |





[www.weixing.cn](http://www.weixing.cn)  
[www.sab-cn.com](http://www.sab-cn.com)